

ExamDumpsVCE

Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

[Free Download](#)

Over **58263+** Satisfied Customers

[About Us](#)



QUALITY AND VALUE

ExamDumpsVCE Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



EASY TO PASS

If you prepare for the exams using our ExamDumpsVCE testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.




TRY BEFORE BUY

ExamDumpsVCE offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



I pass C_C4C50_2015 but can you send me the latest version time to time? Many of my friends still need to candidate the exam. Thanks please send to my email address you should know.

Clara



Our Clients



<http://www.examdumpsvce.com>

Reliable exam dumps & stable dumps VCE & valid VCE files

Exam : **VCS-260**

Title : Administration of Veritas
InfoScale Availability 7.3 for
UNIX/Linux

Vendor : Veritas

Version : DEMO

NO.1 A cluster configured with disk based I/O fencing has two dedicated high-priority LLT links and one low-priority link over public network interface.

What is the state of the cluster if both high-priority links fail simultaneously?

- A.** The cluster is in a split-brain condition until at least one other LLT link is working.
- B.** The cluster with active service groups stays running, but the other shuts down.
- C.** All nodes remain in regular GAB membership, but are also in jeopardy membership.
- D.** Service groups are unable to failover when resource faults occur, but can failover if a system fault occurs.

Answer: A

NO.2 What happens when a split-brain occurs and I/O fencing is disabled?

- A.** All nodes execute a stop operation.
- B.** All nodes are placed in jeopardy membership.
- C.** All service groups are autodisabled.
- D.** Nodes on each side of the split try to bring service groups online.

Answer: C

NO.3 An administrator is attempting to start Veritas Cluster Server (VCS) on a node and receives the following message:

VCS:10622 local configuration missing

Which two actions can the administrator perform to resolve this problem? (Select two.)

- A.** start the VCS engine, HAD, on another system that has a valid configuration file
- B.** run hacf -createconfig on the affected node
- C.** re-run the hastart command with the -force option
- D.** check the system heartbeat connections
- E.** copy a valid configuration file to the local system and restart VCS with the -force option

Answer: C,E

NO.4 An administrator is performing an upgrade from Veritas Cluster Server 6.2 to Veritas InfoScale Availability

7.3. Which feature is installed and licensed?

- A.** Cluster File System
- B.** Global Cluster Option
- C.** Veritas Volume Replicator
- D.** Veritas Resiliency Platform

Answer: B

NO.5 What are two operating systems supported by Veritas Cluster Server? (Select two.)

- A.** Red Hat Enterprise Server
- B.** Mac OS
- C.** openSuSe
- D.** AIX
- E.** Fedora

Answer: A,D

NO.6 When is the restate change trigger unable to detect a resource state transition?

- A. when a resource is faulted
- B. when a resource fault is cleared
- C. when a resource is brought online
- D. when a resource is enabled

Answer: C

NO.7 An administrator wants to configure a service group FailOverPolicy where VCS selects a system based on the forecasted available capacity for all systems in the SystemList attribute. Cluster attribute Statistics is set to Enabled.

Which FailOverPolicy must be selected?

- A. Load
- B. Priority
- C. RoundRobin
- D. BiggestAvailable

Answer: D

NO.8 What are two effects of a failed resource in the service group configuration below? (Select two.)

```
group websg {
    SystemList = { sys1 = 0, sys2 = 1 }
}

Apache httpd_Server {
    Critical = 0
    httpDir = "/apache/bin"
    HostName = vcssl1
    Port = 9999
    SecondLevelMonitor = 1
    ConfigFile = "/apache/config/httpd.conf"
}

Diskgroup Apache_dg {
    Critical = 0
    DiskGroup = apcl
}

IP Apache_ip {
    Critical = 0
    Device = bge0
    Address = "11.123.99.168"
    NetMask = "255.255.254.0"
}
```

```
Mount Apache_mnt {  
    Critical = 0  
    MountPoint = "/apache"  
    BlockDevice = "/dev/vx/dsk/apcl/apcvol1"  
    FSType = vxfs  
    FsckOpt = "-y"  
}
```

- A. Any resource fault leaves the service group partially online.
- B. Any resource fault leaves the service group fully online.
- C. Any resource fault leads to a faulted state for the resource.
- D. Any resource fault leads to the service group being taken offline.
- E. Any resource fault leads to the service group failing over.

Answer: D,E